

Undercabinet Lighting

LED Undercabinet

POCKET GUIDE



ELCO Lighting

The Best Choice in Lighting

Aster™ Slim LED Puck Lights

Modern and stylish fixtures to match any room design. Provides outstanding even illumination on kitchen undercabinets, furniture or any other application with limited space.

Aster™ Mini Slim Round LED Puck Light

Recessed or surface mount. 12V DC with 5 ft. wires. UL listed.
2 3/8" O.D. x 1/2" H



Nickel
E250N
280 lm
3000K
3.5W

Aster™ Mini Slim Square LED Puck Light

Recessed or surface mount. 12V DC with 5 ft. wires. UL listed.
2 3/8" x 2 3/8" x 1/2" H



Nickel
E251N
280 lm
3000K
3.5W

Aster™ Mini Super Slim Round LED Puck Light

Surface mount only. 12V DC with 5 ft. wires.
2 3/8" O.D. x 3/16" H



Nickel
E252N
280 lm
3000K
3.5W

Aster™ Mini Super Slim Square LED Puck Light

Surface mount only. 12V DC with 5 ft. wires. UL listed.
2 3/8" x 2 3/8" x 3/16" H



Nickel
E253N
280 lm
3000K
3.5W

NOTE: To dim use 12V drivers (page 11) with 6-Way Distributor (EDIS).

Aster™ Slim LED Puck Lights Accessories

Driver for Aster™ Puck Lights

Plug-in driver with 6' cord and plug.
6 outlet distributor. 12V DC.

6-Way Distributor

To be use with 12V drivers.



DRV12V30W



EDIS

Clover™ LED Light Kit

These energy efficient fixtures are the ideal accent lighting solution for undercabinets, display cases and other applications with hard to reach areas.

Clover™ Mini LED Gimbal Recessed Mount Light Kit (3W each)

Kit includes: (3) 3W Adjustable mini gimbal undercabinet lights, mounting hardware and driver kit. 120V AC.
2 ¾" O.D. x 2" H



Nickel
E342N
180 lm
3000K
3W

DRIVER
INCLUDED



Clover™ LED Light

Clover™ Mini LED Gimbal Recessed Mount Light

Recessed mount adjustable mini gimbal undercabinet light.
120V AC input. Driver not included. 2 ¾" O.D. x 2" H



Nickel
E242N
180 lm
3000K
3W

Clover™ LED Puck Light Accessories

Drivers for Clover™ LED Puck Lights

Short circuit and overload protected. 100V-240V AC. 50/60Hz.



DRV9W

9W

1-3 Puck Lights

DRV18W

18W

1-6 Puck Lights

Xyris™ LED Puck Lights

Its classic design with ultra low profile makes these fixtures the ideal solution for undercabinet, in cabinet, display cases and any application that needs excellent and even illumination.

Xyris™ Mini LED Puck Light

Recessed or surface mount. 120V input. 2 5/8" O.D. x 1 3/16" H



White
E247W
180 lm
3000K
3W



Black
E247B
180 lm
3000K
3W



Nickel
E247N
180 lm
3000K
3W



Bronze
E247BZ
180 lm
3000K
3W

Xyris™ Mini LED Baffle Puck Light

Recessed or surface mount. 120V input. 2 5/8" O.D. x 1 3/16" H



White
E248W
180 lm
3000K
3W



Black
E248B
180 lm
3000K
3W



Nickel
E248N
180 lm
3000K
3W



Bronze
E248BZ
180 lm
3000K
3W

Xyris™ LED Puck Lights Accessory

Drivers for LED Puck Lights

Short circuit and overload protected. 100V-240V AC. 50/60Hz.



DRV9W

9W
1-3 Puck Lights

DRV18W

18W
1-6 Puck Lights

Xyris™ LED Puck Light Kits

Its classic design with ultra low profile makes these fixtures the ideal solution for undercabinet, in cabinet, display cases and any application that needs excellent and even illumination.

Xyris™ Mini LED Puck Light Kit (3W each)

Kit includes: (3) 3W Mini LED puck lights, mounting hardware and driver kit. 120V input. For recessed and surface mount.
2 5/8" O.D. x 1 3/16" H



Xyris™ Mini LED Baffle Puck Light Kit (3W each)

Kit includes: (3) 3W Mini LED baffle puck lights, mounting hardware and driver kit. 120V input. For recessed and surface mount.
2 5/8" O.D. x 1 1/4" H



Lotus™ LED Undercabinet Light

Slim LED undercabinet light provides smooth lumen output. Mini linking connector included for row mounting. Linkable end-to-end. On/Off switch. Individually switched with pass-through power. Solid aluminum construction with polycarbonate lens. 120V dimmable driver included. Hard wire or plug & play. UL Listed. 3 1/2" W x 1" H



White

11" Length	14" Length	22" Length	29" Length	36" Length	48" Length
EUB11L30W	EUB14L30W	EUB22L30W	EUB29L30W	EUB36L30W	EUB48L30W
290 lm	430 lm	580 lm	740 lm	1000 lm	1230 lm
3000K	3000K	3000K	3000K	3000K	3000K
4W	6W	8W	10W	12W	16W

11" Length	14" Length	22" Length	29" Length	36" Length	48" Length
EUB11L40W	EUB14L40W	EUB22L40W	EUB29L40W	EUB36L40W	EUB48L40W
305 lm	452 lm	609 lm	777 lm	1050 lm	1292 lm
4000K	4000K	4000K	4000K	4000K	4000K
4W	6W	8W	10W	12W	16W



Bronze

11" Length	14" Length	22" Length	29" Length	36" Length	48" Length
EUB11L30BZ	EUB14L30BZ	EUB22L30BZ	EUB29L30BZ	EUB36L30BZ	EUB48L30BZ
290 lm	430 lm	580 lm	740 lm	1000 lm	1230 lm
3000K	3000K	3000K	3000K	3000K	3000K
4W	6W	8W	10W	12W	16W

11" Length	14" Length	22" Length	29" Length	36" Length	48" Length
EUB11L40BZ	EUB14L40BZ	EUB22L40BZ	EUB29L40BZ	EUB36L40BZ	EUB48L40BZ
305 lm	452 lm	609 lm	777 lm	1050 lm	1292 lm
4000K	4000K	4000K	4000K	4000K	4000K
4W	6W	8W	10W	12W	16W

Lotus™ LED Undercabinet Light Accessories

Linking Connectors

Linking connectors for LED Slim undercabinet light.



EUBC03

3" Length

EUBC06

6" Length



EUBC12

12" Length

EUBC24

24" Length

5' Power Cord

5' Power cord for LED Slim undercabinet light.



EUBCRD

5' Length

J-Box for Hard Wire Supply Connection

Optional J-Box for LED Slim undercabinet light.



EUBJBX

White

EUBJBXBZ

Bronze



Flax™ LED Adjustable Undercabinet Light

Low profile LED Adjustable Undercabinet Light allows aiming of the beam for highlighting objects. High brightness with excellent color rendition. Linkable up to 12 ft. 24V DC input voltage. ETL listed for dry locations. 13/16" H x 3" W.



8" Length	16" Length	24" Length	32" Length
EUM21W	EUM22W	EUM23W	EUM24W
201 lm	402 lm	603 lm	804 lm
3000K	3000K	3000K	3000K
4.5W	8.9W	13.2W	17.6W

NOTE: For wall switch dimming, refer to 24V Magnetic Drivers (page 11).

Flax™ LED Adjustable Undercabinet Light Accessories

Linking Cable Wire

Linking cable wire for LED adjustable undercabinet light.



EUMC6	EUMC12
6" Length	12" Length
EUMC24	EUMC36
24" Length	36" Length

Inline Switch

Inline switch with 12" wire.



EUMS1

Inline Dimmer Switch

72W inline dimmer switch.



DIMU1

Mini Connector



EUMCS1

Adaptors

24V DC output. 120V, 50/60 Hz input. 72" output wires.



EUDRV18
18W



EUDRV45
45W
EUDRV72
72W

Tansy™ LED Undercabinet Light

Dimmable LED Undercabinet Light features frosted glass diffuser lens for a softer light output. Hard wire type with On/Off switch. Suitable for row mounting. LED CREE chips, CRI 80. 120V AC, LED driver included. ETL listed for dry locations. Knockouts at the ends for row mounting. 1 ¼" H x 5" W.



White

8" Length	16" Length	24" Length	32" Length
EUM31W	EUM32W	EUM33W	EUM34W
220 lm	450 lm	670 lm	890 lm
3000K	3000K	3000K	3000K
3.6W	7.2W	10.8W	14.4W

Bronze

8" Length	16" Length	24" Length	32" Length
EUM31BZ	EUM32BZ	EUM33BZ	EUM34BZ
220 lm	450 lm	670 lm	890 lm
3000K	3000K	3000K	3000K
3.6W	7.2W	10.8W	14.4W

Zinnia™ LED Undercabinet Light

Dimmable LED Undercabinet Light with polycarbonate diffuser lens with linear prisms. Suitable for row mounting. 120V AC, integral Triac LED driver. LED array module. CRI 90. 1" H x 3 ½" W.



White

12.25" Length	21.25" Length	24.25" Length	33.25" Length	42.25" Length
EUM41W	EUM42W	EUM43W	EUM44W	EUM45W
350 lm	650 lm	700 lm	1000 lm	1350 lm
3000K	3000K	3000K	3000K	3000K
5W	9W	10W	13.5W	17.5W

Bronze

12.25" Length	21.25" Length	24.25" Length	33.25" Length	42.25" Length
EUM41BZ	EUM42BZ	EUM43BZ	EUM44BZ	EUM45BZ
350 lm	650 lm	700 lm	1000 lm	1350 lm
3000K	3000K	3000K	3000K	3000K
5W	9W	10W	13.5W	17.5W

Azalea™ LED Undercabinet Light

Slim Line LED Light offers highly efficient illumination in shallow, hard to reach areas. Ideal for undercabinet and task lighting where energy efficiency, long lamp life, and cool operation are desired. Acrylic diffuser creates smooth lumen output. Linkable up to 24 ft. per circuit. On/Off switch. 5 ft. cord and plug, mini-connectors for flush unit-to-unit connection, flush mounting clips, and a 120V AC, non-dimmable LED driver is included. ETL listed for dry locations. Plug & play only. 7/8" H x 1 1/16" W.



13.5" Length

EUS41W

370 lm
4000K
5W

22.5" Length

EUS43W

640 lm
4000K
8W

35.5" Length

EUS45W

1200 lm
4000K
12W

47.5" Length

EUS47W

1600 lm
4000K
17W

Azalea™ LED Undercabinet Light Accessories

Power Cord

5 ft. power cord for LED Slimline undercabinet light.



EUSPC

5' Length

Linking Cable

Linking cables for LED Slimline undercabinet light.



EUSC6

6" Length

EUSC24

24" Length

EUSC12

12" Length

EUSC36

36" Length

Low Voltage Magnetic LED Drivers

Dimmable LED Drivers convert standard 120V Line Voltage to either 12VDC or 24V DC.

Small LED Drivers

LED Drivers for indoor and outdoor use. Class 2. ETL listed.
3 1/16" W x 1 3/8" H x 6" L



12V	
DRVM12V20W	20W
DRVM12V40W	40W
24V	
DRVM24V20W	20W
DRVM24V40W	40W

Medium LED Drivers

LED Drivers for outdoor use. Class 2. ETL listed.
3 1/16" W x 2 7/8" H x 8 5/8" L



12V	
DRVM12V60W	60W
24V	
DRVM24V60W	60W

Large LED Drivers

LED Drivers for outdoor and wall mount use only. ETL listed.
4 1/8" W x 3 3/8" H x 9 1/4" L



12V	
DRVM12V100W	100W
DRVM12V150W	150W
DRVM12V200W	200W
DRVM12V300W	300W
24V	
DRVM24V100W	100W
DRVM24V150W	150W
DRVM24V200W	200W
DRVM24V300W	300W

ELPCAT1045



Customer Service

800.522.2626

customerservice@elcolighting.com

sales@elcolighting.com

Corporate Headquarters

2042 East Vernon Avenue

Vernon, CA 90058

Telephone 323-231-2600

elcolighting.com

Printed in the USA. 10.16

\$5.00

© ELCO Lighting. The marks appearing in this catalog are registered trademarks of ELCO Lighting. Other marks used herein are recognized trademarks of their respective companies.

Products shown in this brochure may be covered by U.S. and international patents. Specifications subject to change without notice.