


Recessed Lighting



The
Tunable
White Koto™



Tunable White Koto™
2", 3" & 4" Fixtures



Tunable White **Koto**™

This system allows the user to change color temperature of their downlighting to their own needs with a simple Bluetooth, Wifi, or wired control system. Whether they want to mimic the patterns of natural lighting throughout the day or use the product to adjust for healthcare or educational purposes.


We are looking beyond the typical “on/off” switch, and focusing on a dial of options that matches your lighting needs—anytime, anywhere. Home, office, restaurant, classroom, hotel, healthcare or retail location, **The Tunable White Koto™** will alter how people interact with their space.

White tuning allows the user to change the color temperature of the light from cool to neutral to warm

- **Home:** Automatically adjust to replicate natural lighting patterns throughout the day. Waking up with a cool white and easing into bed with a warm white.
- **Healthcare:** design around patients' needs based on medical worker's advice.
- **Education:** Adjust to what works best for the students throughout the day to help keep them focused and learning.
- **Restaurant:** Adjust to match the mood of the time of day. Breakfast can start at a cooler white, while dinner can be set at a warmer, more comforting color temperature.
- **Hotel:** Guests can have full control of their room lighting while the hotel can maintain control of the common areas and implement their choice of lighting color temperatures throughout the day.
- **Tenant Improvement:** Lighting can easily be adjusted to match the tenants desires.



White Tune the Koto™ Module from your mobile device...



TUNABLE WHITE KOTO™ LED MODULE



The Koto™ System

Tunable White Koto™ Fixture




AIRTIGHT



IC RATED



ASSEMBLED
IN USA



Swivel
Hanger Bars

Quick Connect



LED COB with White
Tunable Technology



TUNABLE WHITE KOTO™ LED MODULE

Includes: 38°, 28° and 60° lenses
Optional: 15° and 18° lens available

Die-Cast Aluminum Trims
in a variety of shapes,
colors and styles to match
any room design



Trims with Twist-&-Lock System




TITLE 24 COMPLIANT



DIMMABLE



90+ CRI



INTEGRATED LED



WET LOCATION



50,000 HOURS



5 YEAR WARRANTY

The Koto™ LED Module

Can be installed into many different applications, and used with many different trims. With an integrated driver and a versatile lens holder, this module has redefined the meaning of easy installation and maintenance.

The Koto™ Twist-On makes installation a breeze. Utilizing the same connection mechanism across the Koto™ System, modules can easily be locked onto a plethora of trim options, and installed right into the housing. This allows for the same module to be used on downlight and adjustable trims as well as specialty trims.



Precise Beam Angle Control

Using industry leading technology ELCO offers the Tunable White Koto™ LED Module with a standard 38° beam angle, with field changeable 15°, 18°, 28° and 60° lens options to give designers and architects choices when laying out a room, whether the downlight is spot lighting a breakfast table or lighting up a bedroom ELCO has the necessary beam angle options.



15°
(Spot)



18°
(Spot)




28°
(Narrow Flood)



38°
(Flood)



60°
(Wide Flood)



TUNABLE WHITE KOTO™ LED MODULE

Optional **Control Modules** for Tunable White Koto™ Fixture

Simply Plug & Play any control module with simple ethernet cables. Minimum installation, maximum control



Control Modules Features

- Requires control ready housing
- Seamless device commissioning
- Rules setting and supervision
- Data gathering on usage, locations, users, time of day
- Automation based on users and sensors
- Firmware updates over the air
- Customizable and integration-ready APIs
- One Control Module can be connected to 1 - 15 drivers

Options Available:



- iOS app and Android app interface options
- Predictive Maintenance
- Ecosystem with sensors and switches, lamps and luminaires



- iOS app and web portal interface options
- Energy usage monitoring
- Ecosystem with sensors, switches



- iOS app, Android app, and web portal interface options
- Predictive Maintenance
- Ecosystem with sensors and switches, lamps and luminaires



- iOS app, Android app, and web portal interface options
- Energy usage monitoring
- Predictive Maintenance
- Ecosystem with sensors, switches, gateways




- DALI-2 DT8 certified
- Two-channel control of color temperature and intensity
- Commission and manage lighting fixtures via DALI2 DT8 certified controller



- 0-10V Control Module is compatible with industry standard 0-10V, 1-10V current sourcing or current sinking wired control devices. The Control Module provides for two-channel control of color temperature and intensity

**Wired control devices required*



Each area only needs 1 control module that can be connected to a maximum of 15 drivers via ethernet cable



The Same LED Module, Tons Of Trim Options

The Koto™ Twist-On makes installation a breeze. Utilizing the same connection mechanism across the Koto™ System, modules can easily be locked onto a plethora of trim options, and installed right into the housing. This allows for the same module to be used on downlight and adjustable trims as well as specialty trims.



Fully Adjustable, Ideal For Directional And Accent Lighting

The Koto™ Adjustable Gimbal Trims are available in round and square shapes and different color finishes. The full adjustability of a 35° tilt and a 358° rotation makes these trims the perfect solution for designers and architects when designing a sophisticated and upscale space.



IC Airtight **Koto™** Housings

New Construction Housings for Tunable White Koto™ LED Module



New Construction IC Airtight Housings

New Construction Housing



- IC Airtight for direct contact with insulation.
- 120/277V AC/50-60Hz universal input voltage
- Smooth, flicker free dimming and CCT tuning
- Dimmable to 0.1%, dim to dark

Shallow New Construction IC Airtight Housings

Product Series	Description	Lumens	IC Rated	Driver
E21 ⁴ 2"	KT Tunable White	10 1000 lm (14W), 4" Height	ICA IC Airtight Housing	D Standard ¹
E35 3"		12 1250 lm (18.3W), 5½" Height		ED eldoLED ¹
E45 4"				C Control Ready ²
				L Lutron ¹
				A AmbienTech ³

¹ Integrated dual channel 0-10V Dimming, no control module required

² For use with control module options, ethernet cables and connectors purchased separately

³ Includes control module, compatible with AmbienTech ecosystem only

⁴ Only for use with "D" Standard driver. Not compatible with control module ETW3 Series

Example: **E35KTW12ICAED** [ELCO Koto System 3" New Construction Shallow Housing, 1250 lm, IC Airtight, eldoLED Driver]

Optional Control Modules for Tunable White Koto



Control module required per housing

*Control Modules Ordered Separately.
Only for 3" & 4" housings.

Requires Control Ready Housing Option


Control Module Brand	CASAMBI	SILVAIR	WIZ	WISILICA
Item Number	ETW3CS	ETW3SL	ETW3WZ	ETW3WS
Wired Control Protocol	DALI	0-10V		
Item Number	ETW3DL	ETW310V		

*Wired control devices required


Example: **ETW3SL** [Wireless SILVAIR control module]

Tunable White Koto™ LED Module

Works with 2", 3" & 4" Recessed Housings & Koto™ Trims



Tunable White Koto™ LED Module



Koto™ LED Light Engine

- Driver on housing extends lifespan and allows for more dimming options and applications
- Includes: Standard 38° lens, with 28° and 60° lenses. Optional: 15° and 18° lens available
- Works in 3" and 4" ELCO Tunable White housings with Koto™ twist-On trims
- Excellent color rendering 95+ CRI throughout white tuning
- ENERGY STAR Certified
- Title 24 JA8 2019 Registered
- Life span of 50,000 hours L70

Accessories



Tunable White Koto™ LED Module Product Number Builder

Product Series	CCT	Beam Spread	Optional Accessory
ELK19 LED Module	TWD 2700K - 5000K	(Blank) 38° lens	(Blank) Standard
	T41D 1800K - 4000K	-S 18° lens	L47 Spread Lens
	T62D 2700K - 6500K	-N 25° lens -W 60° lens	L46 Linear Lens L49 Frosted Diffuser L51 Color Shifter L45 Hex Louver L50W White Snoot L50B Black Snoot

Example: **ELK19TWDL49** [Tunable White Koto™ LED Module 2500K-6500K, 38° lens, Frosted Diffuser]

MODULE

The die-cast aluminum heat sink ensures complete advanced thermal heat dissipation

LED

CRI 95+ throughout white tuning with Chip on Board Technology

OPTICS

Precision parabolic reflectors and lenses to evenly distribute the light in a wide range of beam angles

SECONDARY OPTICS

Enables in-field installation of hex louvers, Linear lenses, Color Shifters, Diffusers, Spread lens and Snoot

TWIST-ON

Simple connection mechanism allows for smooth installation on all Koto™ trims

LENS HOLDER

Provides effortless in-field lens and secondary optics customizability

INTEGRATED LED

DIMMABLE

TITLE 24 COMPLIANT

90+ CRI

Koto™ 2" Trims

Precision diecast trims with twist-on mechanism for easy installation



Round Deep Reflector

- ELK2818W** All White
- ELK2818BB** All Black
- ELK2818BZ** All Bronze
- ELK2818B** Black Reflector w/White Ring
- ELK2818H** Haze Reflector w/White Ring



Round Adjustable Reflector

- ELK2829W** All White
- ELK2829BB** All Black
- ELK2829BZ** All Bronze
- ELK2829B** Black Reflector w/White Ring
- ELK2829H** Haze Reflector w/White Ring



Round Gimbal

- ELK2888W** All White
- ELK2888B** All Black
- ELK2888BZ** All Bronze



Square Deep Reflector

- ELK2518W** All White
- ELK2518B** Black Reflector w/White Ring
- ELK2518BB** All Black



Square Adjustable Reflector

- ELK2529W** All White
- ELK2529B** Black Reflector w/White Ring
- ELK2529BB** All Black



Square Reflector

- ELK2541W** All White
- ELK2541B** Black Reflector w/White Ring
- ELK2541BB** All Black



Square Adjustable Pinhole

- ELK2527W** All White
- ELK2527B** Black Reflector w/White Ring
- ELK2527BB** All Black



Square Gimbal

- ELK2588W** All White
- ELK2588BZ** All Bronze

** Only for use with "D" Standard Driver Housing*

For our entire selection of **Round & Square Trims** please visit us at elcolighting.com

Koto™ 3" Trims

Precision diecast trims with twist-on mechanism for easy installation



Round Deep Reflector

- ELK3618W** All White
- ELK3618BB** All Black
- ELK3618BZ** All Bronze
- ELK3618B** Black Reflector w/White Ring
- ELK3618C** Chrome Reflector w/White Ring
- ELK3618H** Haze Reflector w/White Ring



35°

Round Adjustable Reflector

- ELK3629W** All White
- ELK3629BB** All Black
- ELK3629BZ** All Bronze
- ELK3629B** Black Reflector w/White Ring
- ELK3629C** Chrome Reflector w/White Ring
- ELK3629H** Haze Reflector w/White Ring



35°

Round Adjustable Pinhole

- ELK3627W** All White
- ELK3627BB** All Black
- ELK3627BZ** All Bronze
- ELK3627B** Black Reflector w/White Ring
- ELK3627H** Haze Reflector w/White Ring



45°

Round Adjustable Slot Aperture

- ELK3620W** Black Slot w/White Ring



45°

Round Adjustable Wall Wash

- ELK3622W** All White



Square Deep Reflector

- ELK3318W** All White
- ELK3318BB** All Black
- ELK3318BZ** All Bronze
- ELK3318B** Black Reflector w/White Ring
- ELK3318H** Haze Reflector w/White Ring



35°

Square Adjustable Reflector

- ELK3329W** All White
- ELK3329BB** All Black
- ELK3329BZ** All Bronze
- ELK3329B** Black Reflector w/White Ring
- ELK3329C** Chrome Reflector w/White Ring
- ELK3329H** Haze Reflector w/White Ring



35°

Square Adjustable Pinhole

- ELK3327W** All White
- ELK3327BB** All Black
- ELK3327BZ** All Bronze
- ELK3327B** Black Reflector w/White Ring
- ELK3327H** Haze Reflector w/White Ring
- ELK3327N** Black Reflector w/Nickel Ring



Square Reflector

- ELK3341W** All White
- ELK3341BB** All Black
- ELK3341BZ** All Bronze
- ELK3341B** Black Reflector w/White Ring



45°

Square Adjustable Wall Wash

- ELK3322W** All White



35°

Round Trimles

Adjustable Smooth Reflector*

- ELK315W** All White
- ELK315H** All Haze

*Requires EL3SFR Spackle Frame

For our entire selection of **Round & Square Trims** please visit us at elcolighting.com

Koto™ 4" Trims

Precision diecast trims with twist-on mechanism for easy installation



Round Deep Reflector

- ELK4118W** All White
- ELK4118BB** All Black
- ELK4118BZ** All Bronze
- ELK4118B** Black Reflector w/White Ring
- ELK4118C** Chrome Reflector w/White Ring
- ELK4118H** Haze Reflector w/White Ring



Round Adjustable Reflector

- ELK4129W** All White
- ELK4129BB** All Black
- ELK4129BZ** All Bronze
- ELK4129B** Black Reflector w/White Ring
- ELK4129C** Chrome Reflector w/White Ring
- ELK4129H** Haze Reflector w/White Ring



Round Adjustable Pinhole

- ELK4127W** All White
- ELK4127BB** All Black
- ELK4127BZ** All Bronze
- ELK4127B** Black Reflector w/White Ring
- ELK4127H** Haze Reflector w/White Ring
- ELK4127N** Black Reflector w/Nickel Ring
- ELK4127CP** Black Reflector w/Copper Ring



Round Adjustable Slot Aperture

- ELK4130W** Black Slot w/White Ring



Round Adjustable Wall Wash

- ELK4122W** All White



Square Deep Reflector

- ELK4218W** All White
- ELK4218BB** All Black
- ELK4218BZ** All Bronze
- ELK4218B** Black Reflector w/White Ring
- ELK4218C** Chrome Reflector w/White Ring
- ELK4218H** Haze Reflector w/White Ring



Square Adjustable Reflector

- ELK4229W** All White
- ELK4229BB** All Black
- ELK4229BZ** All Bronze
- ELK4229B** Black Reflector w/White Ring
- ELK4229C** Chrome Reflector w/White Ring
- ELK4229H** Haze Reflector w/White Ring



Square Adjustable Pinhole

- ELK4227W** All White
- ELK4227BB** All Black
- ELK4227BZ** All Bronze
- ELK4227B** Black Reflector w/White Ring
- ELK4227H** Haze Reflector w/White Ring
- ELK4227N** Black Reflector w/Nickel Ring



Square Reflector

- ELK4741WW** All White
- ELK4741BB** All Black
- ELK4741BZBZ** All Bronze
- ELK4741BW** Black Reflector w/White Ring
- ELK4741CW** Chrome Reflector w/White Ring
- ELK4741HW** Haze Reflector w/White Ring



Square Adjustable Wall Wash

- ELK4222W** All White



Round Trimles Smooth Reflector*

- ELK408W** All White
- ELK408B** All Black
- ELK408BZ** All Bronze
- ELK408H** All Haze
- ELK415W** All White, Adjustable
- ELK415B** All Black, Adjustable
- ELK415BZ** All Bronze, Adjustable
- ELK415H** All Haze, Adjustable



Square Trimles Smooth Reflector*

- ELK445W** All White
- ELK445B** All Black
- ELK445H** All Haze
- ELK459W** All White, Adjustable
- ELK459B** All Black, Adjustable
- ELK459H** All Haze, Adjustable

*Requires EL4SFR Spackle Frame

*Requires EL4SFR Spackle Frame

For our entire selection of **Round & Square Trims** please visit us at elcolighting.com

ELCAT1066



EL ELCO Lighting

Corporate Headquarters

2042 E. Vernon Ave.
Vernon, CA 90058
Tel: 323.231.2600
Fax: 323.231.3200
elcolighting.com

Customer Service

Tel: 800.522.2626
Fax: 800.644.2626
orderdesk@elcolighting.com
customerservice@elcolighting.com
sales@elcolighting.com

Printed in the U.S.A. 05/22
\$10.00

© ELCO Lighting. The marks appearing in this catalog are registered trademarks of ELCO Lighting. Other marks used herein are recognized trademarks of their respective companies. Products shown in this brochure may be covered by U.S. and international patents. Specifications subject to change without notice.

Member of:

