


Multi Family Lighting





















Welcome to **Multi-Family** Lighting!

Multi-Family buildings come with high energy costs, with so many lighting options in the market today, it can be overwhelming trying to make the best decision and find the right lighting solution. Whether the multifamily property is an apartment building or work office area, our energy efficient LED fixtures can transform the atmosphere of any locations such as lobbies, offices, hallways, bathrooms and any common area using far less energy that outdated lights, saving energy & maintenance costs.

Recessed LED Lighting






















3", 4" & 6" LED Inserts & Housings

Description		CAT. #	Specs
	3" New Construction Dedicated LED Housing	EL390ICA	3" Housing
		EL390ICA-EM5	3" Housing, Emergency Battery Back-Up
	3" New Construction Dedicated LED 2-Hour Fire Rated Housing STC/ICC Sound Rated	 EL39FICA	3" Housing
	3" Round LED Baffle	  EL311CT5W	10W, 710 lm, 2700K - 5000K
	3" Round LED Reflector	  EL312CT5W	10W, 710 lm, 2700K - 5000K
	3" Square LED Baffle	  EL331CT5W	9W, 700 lm, 2700K - 5000K
	3" Square LED Reflector	  EL332CT5W	9W, 640 lm, 2700K - 5000K
	4" New Construction Dedicated LED Housing	EL490ICA	4" Housing
		EL490ICA-EM5	4" Housing, Emergency Battery Back-Up
	4" New Construction Dedicated LED 2-Hour Fire Rated Housing STC/ICC Sound Rated	EL48FICA	4" Housing - 6 7/8" H
		EL492FICAS	4" Shallow Housing - 4 13/16" H
	4" New Construction IC Airtight Housing for 2-Hour Fire Rated Ceilings	EJB4ICA	4" Housing - 4 1/2" H
<p>A maximum 2-Hour Fire Rated ceiling assembly can be maintained when installed according to the International Building Code, Section 714</p>		EJB4RICA	Remodel tabs will not be completely covered by trim, painting may be required after installation or use of Oversize Ring (ELJ4OV) to cover tabs
	4" Remodel IC Airtight Housing for 2-Hour Fire Rated Ceilings	ELJ4OV	For use with EJB4RICA to cover tabs

Recessed LED Lighting
























3", 4" & 6" LED Inserts

Description	CAT. #	Specs
 <p>4" Square Standard Deep Junction Box with Hanger Bars for use in Fire Rated Ceilings</p> <p>A maximum 2-Hour Fire Rated ceiling assembly can be maintained when installed according to the International Building Code, Section 714</p>	EJB441CA	IC Airtight for use in IC and Non-IC applications. 4" Sq x 3 1/2" H
 <p>4" Square Standard Deep Junction Box for use in Fire Rated Ceilings</p>	ELJ443	IC Airtight for use in IC and Non-IC applications. 4" Sq x 3 1/2" H
 <p>4" LED Junction Box 1000 lm Insert</p> 	ELJ42230W	15W, 1000 lm, 3000K. For use in 4" Sq junction boxes (3 1/2" tall)
 <p>4" Round LED Baffle</p>  	EL41030W	10W, 850 lm, 3000K
	EL410CT5W	12W, 850 lm, 2700K - 5000K
 <p>4" Round LED Reflector</p>  	EL41530W	11W, 770 lm, 3000K
	EL415CT5W	12W, 700 lm, 2700K - 5000K
 <p>4" HIGHLUMEN Round LED Reflector</p>  	EL417CT5W	14W, 1000 lm, 2700K - 5000K
 <p>4" Round LED Reflector</p>  	EL455CT5W	9W, 600 lm, 2700K - 5000K
 <p>4" Square LED Baffle</p>  	EL441CT5W	10W, 750 lm, 2700K - 5000K
 <p>4" Square LED Reflector</p>  	EL442CT5W	11W, 850 lm, 2700K - 5000K

Recessed LED Lighting



































3", 4" & 6" LED Inserts

Description	CAT. #	Specs
 <p>6" New Construction Dedicated LED Housing</p>	EL770ICA	6" Housing
	EL770ICA-EM5	6" Housing, Emergency Battery Back-Up
 <p>6" New Construction Dedicated LED 2-Hour Fire Rated Housing STC/ICC Sound Rated</p> 	EL76FICA	6" Housing - 7 3/4" H
	EL75FICAS	6" Shallow Housing - 6 3/16" H
 <p>5" - 6" Round Shallow LED Reflector</p>  	EL655CT5W	10W, 700 lm, 2700K - 5000K
 <p>5" - 6" Round LED Reflector</p>  	EL61530W	10W, 850 lm, 3000K
	EL615CT5W	12W, 880 lm - 1080 lm 2700K - 5000K
 <p>5" - 6" HIGHTECH LED Reflector</p>  	EL617CT5W	12W, 1000 lm - 1200 lm, 2700K - 5000K
 <p>5" - 6" Round LED Baffle</p>  	EL61030W	10W, 850 lm, 3000K
	EL610CT5W	12W, 880 lm - 1080 lm 2700K - 5000K
 <p>6" Round Shallow LED Baffle</p>  	EL670CT5W	10W, 700 lm, 2700K - 5000K
 <p>6" Square LED Reflector</p>  	EL662CT5W	16W, 1300 lm, 2700K - 5000K

Canless LED Lighting



Elm™ System LED Downlights & Slim Panels IC Rated

Description	CAT. #	Specs
 <p>3" Ultra Slim LED Panel Light with 5-CCT Switch</p>  	ERT311CT5W	10W, 600 lm, 120V, 2700K - 5000K
 <p>4" Slim LED Panel Light with 5-CCT Switch</p>  	ERT411CT5W	9W, 500 lm, 2700K - 5000K
 <p>4" High Lumen Slim LED Panel Light with 5-CCT Switch</p>  	ERT412CT5W	12W, 700 lm, 2700K - 5000K
 <p>4" LED Recessed Downlight with 5-CCT Switch</p>  	ERT415CT5W	11W, 750 lm, 120V 2700K - 5000K
 <p>4" High Lumen LED Reflector Recessed Downlight with 5-CCT & 5-Lumen Switch</p>   	ERT475CT5DW	12W - 25W, 1000 lm - 2000 lm, 2700K - 5000K, 120/277V, Triac/ELV/0-10V, All White
 <p>4" Slim LED Square Panel Light with 5-CCT Switch</p>  	ERT441CT5W	9W, 550 lm, 2700K - 5000K
 <p>6" Slim LED Round Panel Light with 5-CCT Switch</p>  	ERT611CT5W	12W, 700 lm, 2700K - 5000K
 <p>6" High Lumen Slim LED Round Panel Light with 5-CCT Switch</p>  	ERT612CT5W	15W, 950 lm, 2700K - 5000K
 <p>6" Shallow LED Recessed Downlight with 5-CCT Switch</p>  	ERT615CT5W	12W, 900 lm, 2700K - 5000K
 <p>6" High Lumen LED Reflector Recessed Downlight with 5-CCT & 5-Lumen Switch</p>   	ERT685CT5DW	12W - 32W, 1000 lm - 2500 lm, 2700K - 5000K, 120/277V, Triac/ELV/0-10V, All White

Easy Pro™ Integral Junction Box LED Inserts

Description	CAT. #	Specs
-------------	--------	-------

Energy efficient LED Lighting fixtures designed to be easily install without the need of any recessed housing. For direct contact with insulation. Title 24 Compliant. ENERGY STAR Compliant. ETL Listed.




6" Easy Pro™ Jbox LED Insert


ELR68530W


23W, 1400 lm, 3000K

Ceiling Mount LED Lighting









4S Junction Box for Ceiling Mount Fixtures













Description	CAT. #	Specs
 Square New Construction Box	ELJ4S	3 3/4" x 3 3/4" x 2 3/8"

 Junction Box without Hanger Bars	ELJ332	3 3/4" x 3 3/4" x 2 3/8"
--	--------	--------------------------

Sky Panels™ LED Edge Lit


Description	CAT. #	Specs
 4" - 12" Round Sky Panel™  	ELSP43CT5W	4" Round, 10W, 600 lm, 2700K - 5000K
	ELSP63CT5W	6" Round, 15W, 900 lm, 2700K - 5000K
	ELSP83CT3W	8" Round, 18W, 1200 lm, 3000K - 4000K
	ELSP12CT5W	12" Round, 22W, 1450 lm, 2700K - 5000K
AVAILABLE IN BLACK!		
 4" - 12" Square Sky Panel™  	ELSP4430W	4" Square, 10W, 600 lm, 3000K
	ELSP66CT5W	6" Square, 15W, 900 lm, 2700K - 5000K
	ELSP8830W	8" Square, 18W, 1200 lm, 3000K
	ELSP8840W	8" Square, 18W, 1300 lm, 4000K
ELSP22CT5W	12" Square, 22W, 1450 lm, 2700K - 5000K	

Sky Panels™ XL LED Edge Lit







Description	CAT. #	Specs
 12" x 24" Sky Panel™ XL with 5-CCT Switch  	ELSP1224CT5W	White, 22W, 2000 lm, 3000K - 5000K Can be recessed in T-bar/Grid ceilings (ELSPRM junction box required)
 12" x 48" Sky Panel™ XL with 5-CCT Switch  	ELSP1248CT5W	White, 40W, 4000 lm, 3000K - 5000K Can be recessed in T-bar/Grid ceilings (ELSPRM junction box required)
 24" x 24" Sky Panel™ XL with 5-CCT Switch  	ELSP2424CT5W	White, 40W, 4000 lm, 3000K - 5000K Can be recessed in T-bar/Grid ceilings (ELSPRM junction box required)
 24" x 48" Sky Panel™ XL with 5-CCT Switch  	ELSP2448CT5W	Can be recessed in T-bar/Grid ceilings (ELSPRM junction box required)

Ceiling Mount Fixtures




Sky Panels™, Flush Mount & LED Disk Lights






Disk Light

Description	CAT. #	Specs
 6" Alva™ LED Disk Light  	ELSF1130W	13W, 900 lm, 3000K
	ELSF11CT5W	15W, 900 lm, 2700K - 5000K
 4" Alva™ LED Disk Light  	ELSF40CT5W	10.5W, 700 lm, 2700K - 5000K


Darby™ LED Ceiling Lights

Description	CAT. #	Specs
 10" - 16" HIGHLUMEN™ Double Ring Ceiling Light  	ELD11030W	Nickel, 10", 14W, 980 lm, 3000K
	ELD11040W	Nickel, 10", 14W, 1010 lm, 4000K
	ELD21030W	Nickel, 10", 18W, 1170 lm, 3000K
	ELD21030BZ	Bronze, 10", 18W, 1170 lm, 3000K
	ELD21040W	Nickel, 10", 18W, 1260 lm, 4000K
	ELD21040BZ	Bronze, 10", 18W, 1260 lm, 4000K
	ELD21230BZ	Bronze, 12", 22W, 1430 lm, 3000K
	ELD21240BZ	Bronze, 12", 22W, 1550 lm, 4000K
	ELD11430W	Nickel, 14", 22W, 1650 lm, 4000K
	ELD14CT5W	Nickel, 14", 18W, 1800 lm, 2700K - 5000K
	ELD14CT5B	Black, 14", 18W, 1800 lm, 2700K - 5000K
	ELD16CT5W	Nickel, 16", 22W, 2200 lm, 2700K - 5000K

Dustin™ LED Ceiling Lights

Description	CAT. #	Specs
 12" - 16" HIGHLUMEN™ Ceiling Light  	ELD32230W	12", 22W, 1540 lm, 3000K
	ELD32240W	12", 22W, 1540 lm, 4000K
	ELD31430W	14", 18W, 1260 lm, 3000K
	ELD31440W	14", 18W, 1260 lm, 4000K
	ELD32630W	16", 30W, 2100 lm, 3000K
	ELD32640W	16", 30W, 2100 lm, 4000K


Undercabinet LED Lighting



Lotus™ & Lotus II™ LED Undercabinet Lights

Description	CAT. #	Specs
<p>Lotus™ 120V LED Undercabinet with CCT Switch (White)</p>	EUB11CT5W	White, 11", 5.5W, 350 lm, 2700K - 5000K
	EUB12L30W	White, 12", 6W, 400 lm, 3-CCT
	EUB12CT5W	White, 12", 6W, 400 lm, 2700K - 5000K
	EUB14L30W	White, 14", 7W, 480 lm, 3-CCT
	EUB18CT5W	White, 18", 9.2W, 650 lm, 2700K - 5000K
	EUB22CT5W	White, 22", 10.5W, 700 lm, 2700K - 5000K
	EUB29CT5W	White, 29", 12.2W, 900 lm, 2700K - 5000K
	EUB32CT5W	White, 32", 14W, 1000 lm, 2700K - 5000K
	EUB36CT5W	White, 36", 15.3W, 1150 lm, 2700K - 5000K
	EUB48CT5W	White, 48", 19.5W, 1450 lm, 2700K - 5000K
<p>Lotus™ 120V LED Undercabinet (Bronze)</p>	EUB11L30BZ	Bronze, 11", 5.5W, 350 lm, 3000K
	EUB11L40BZ	Bronze, 11", 5.5W, 350 lm, 4000K
	EUB12L30BZ	Bronze, 12", 6W, 400 lm, 3000K
	EUB14L30BZ	Bronze, 14", 7W, 480 lm, 3000K
	EUB14L40BZ	Bronze, 14", 7W, 480 lm, 4000K
	EUB18L30BZ	Bronze, 18", 9.2W, 650 lm, 3000K
	EUB22L40BZ	Bronze, 22", 9.6W, 700 lm, 4000K
	EUB29L30BZ	Bronze, 29", 12.2W, 900 lm, 3000K
	EUB29L40BZ	Bronze, 29", 12.2W, 900 lm, 4000K
	EUB36L30BZ	Bronze, 36", 15.3W, 1150 lm, 3000K
EUB36L40BZ	Bronze, 36", 15.3W, 1150 lm, 4000K	
<p>Lotus™ II 120V LED Undercabinet with 3-CCT Switch (White) Individually switch with pass-through power. 2700K/3000K/3500K (CCT Switch)</p>	EU3T08W	8", 6W, 360 lm, 2700K, 3000K, 3500K
	EU3T12W	12", 8W, 485 lm, 2700K, 3000K, 3500K
	EU3T16W	16", 10W, 610 lm, 2700K, 3000K, 3500K
	EU3T24W	24", 14W, 850 lm, 2700K, 3000K, 3500K
	EU3T32W	32", 18W, 1100 lm, 2700K, 3000K, 3500K

Exit & Emergency LED Lighting



Exit and Emergency


Description	CAT. #	Specs
<p>LED Exit Sign with Battery Back Up</p>	EELED	Green Letters
	EELE1	Red Letters
<p>LED Exit Sign with LED Emergency Lights</p>	EE85HR	Red Letters
	EE86HG	Green Letters
<p>Single & Double Face LED Recessed Edge Lit Exit Sign with Battery Backup</p>	EDGLIT1G-C	Green Letters / Single Face
	EDGLIT1R-C	Red Letters / Single Face
	EDGLIT2R-C	Red Letters / Double Face
<p>Outdoor LED Diecast Emergency & Path Light with Battery Backup</p>	EE91LW	White
	EE91LBZ	Bronze
<p>LED Emergency Light</p>	EE80L	Two 2W heads, 250 lm total.

LED Wall Packs and Floodlights

Energy efficient performance



Wall Packs

Description	CAT. #	Specs
 <p>Medium LED Wall Pack 120/277V DLC (175W MH Equivalent)</p>	EWP45M50	45W, 4500 lm, 5000K


* Dimmable Wall Packs Available. Visit www.elcolighting.com*

LED Floodlights

Description	CAT. #	Specs
 <p>Knuckle Mount Mini Floodlight DLC (100W MH Equivalent)</p>	EFL30S40WFK	30W, 3000 lm, 4000K
 <p>Trunnion Mount Mini Floodlight DLC (100W MH Equivalent)</p>	EFL30S40WFT	30W, 3000 lm, 4000K
 <p>Medium Flood Spread LED Floodlight DLC (100W MH Equivalent)</p>	EFL35M40FL	35W, 2800 lm, 4000K
	EFL35M50FL	35W, 3000 lm, 5000K
	EFL35M40WF	35W, 2800 lm, 4000K
	EFL35M50WF	35W, 3000 lm, 5000K

* Large Dimmable LED Floodlight Available. Visit www.elcolighting.com *

Wall Mounts

Description	CAT. #	Specs
 <p>LED Wall Mount with 120V Photocell DLC (70W MH Equivalent)</p>	EWM25W30	25W, 2000 lm, 3000K

*Add U at end of item# for 120/277V



Master Product Guide
(ELCAT1065)



The Koto™ System
Koto Module & Twist-On Trims
(ELCAT1060)



The Teak™ System
2" LED Downlights & Adjustables
(ELCAT1059)



Track & Pendant Lighting
(ELCAT1058)



The Oak™ System
1" Miniature LED Downlights
(ELCAT1055)



ELCO Master Pocket Catalog
(ELPCAT1063)



Sky Panels™
Surface Mount LED Downlights
(ELCAT1052)



The Ambio™ Collection
LED Tape Lights & Aluminum Channels
(ELCAT1051)



The Alder™ System
2" Housings & LED Light Engines
(ELCAT1049)



The Cedar™ System
Residential & Commercial Lighting
(ELCAT1047)



LED Brick Lights
& LED Step Lights
(ELCAT1046)




LED Undercabinet
Pocket Guide
(ELPCAT1045)



The Laurel™ System
Commercial LED Lighting
(ELCAT1042)



LED Housings, Inserts
& LED Ceiling Mounts
(ELCAT1041)



The Slant™ System
Sloped Ceiling Recessed Fixtures
(ELCAT1040)

Check out our full line of Catalogs at:

elcolighting.com/resources/product-catalogs



Corporate Headquarters

2042 E. Vernon Ave.
Vernon, CA 90058
Tel: 323.231.2600
Fax: 323.231.3200
elcolighting.com

Customer Service

Tel: 800.522.2626
Fax: 800.644.2626
orderdesk@elcolighting.com
customerservice@elcolighting.com
sales@elcolighting.com

Printed in the U.S.A.
\$5.00

RV. 06/24

© ELCO Lighting. The marks appearing in this catalog are registered trademarks of ELCO Lighting. Other marks used herein are recognized trademarks of their respective companies. Products shown in this brochure may be covered by U.S. and international patents. Specifications subject to change without notice.